

## **Bibliografia**

- [1] IPCC. (2023). *Climate Change 2023: Synthesis Report*. IPCC, Geneva, Switzerland. <https://doi.org/10.59327/IPCC/AR6-9789291691647>
- [2] Tscholl, S., Candiago, S., Marsoner, T., Fraga, H., Giupponi, C., & Egarter Vigl, L. (2024). Climate resilience of European wine regions. *Nature Communications*, 15, 6254.
- [3] Van Leeuwen, C., Sgubin, G., Bois, B., Ollat, N., Swingedouw, D., Zito, S., & Gambetta, G. A. (2024). Climate change impacts and adaptations of wine production. *Nature Reviews Earth & Environment*, 5, 258-275.
- [4] Jones, G. V., Duff, A. A., Hall, A., & Myers, J. W. (2010). Spatial analysis of climate in winegrape growing regions in the western United States. *American Journal of Enology and Viticulture*, 61(3), 313-326.
- [5] Cameron, W., Petrie, P. R., Barlow, E. W. R., Patrick, C. J., Howell, K., & Fuentes, S. (2021). A comparison of the effect of temperature on grapevine phenology between vineyards. *OENO One*, 55(2), 301-320.
- [6] Labbé, T., Pfister, C., Brönnimann, S., Rousseau, D., Franke, J., & Bois, B. (2019). The longest homogeneous series of grape harvest dates, Beaune 1354-2018. *Climate of the Past*, 15(4), 1485-1501.
- [7] Mira de Orduña, R. (2010). Climate change associated effects on grape and wine quality and production. *Food Research International*, 43(7), 1844-1855.
- [8] Rienth, M., Vigneron, N., Darriet, P., Sweetman, C., Burbidge, C., Bonghi, C., Walker, R. P., Famiani, F., & Castellarin, S. D. (2021). Grape berry secondary metabolites and their modulation by abiotic factors in a climate change scenario. *Frontiers in Plant Science*, 12, 643258.
- [9] Šuklje, K., Antalick, G., Coetzee, Z., Schmidtke, L. M., Baša Česnik, H., Brandt, J., du Toit, W. J., Lisjak, K., & Deloire, A. (2016). Grape cluster microclimate influences the aroma composition of Sauvignon blanc wine. *Food Chemistry*, 210, 640-653.
- [10] Dunlevy, J. D., Dennis, E. G., Soole, K. L., Perkins, M. V., Davies, C., & Boss, P. K. (2013). A methyltransferase essential for the methoxypyrazine-derived flavour of wine. *The Plant Journal*, 75(4), 606-617.
- [11] Guillaumie, S., Ilg, A., Réty, S., Brette, M., Trossat-Magnin, C., Decroocq, S., Léon, C., Keime, C., Ye, T., Baltenweck-Guyot, R., Claudel, P., Bordenave, L., Vallet, A., Le

- Caherec, F., Delrot, S., Darriet, P., Hugueney, P., & Cardi, S. (2013). Genetic analysis of the biosynthesis of 2-methoxy-3-isobutylpyrazine. *Plant Physiology*, 162(2), 604-615.
- [12] Koch, A., Ebeler, S. E., Williams, L. E., & Matthews, M. A. (2012). Fruit ripening in *Vitis vinifera*: Light intensity before and not during ripening determines the concentration of 2-methoxy-3-isobutylpyrazine in Cabernet Sauvignon berries. *Physiologia Plantarum*, 145(2), 275-285.
- [13] Peyrot des Gachons, C., Van Leeuwen, C., Tominaga, T., Soyer, J.-P., Gaudillère, J.-P., & Dubourdieu, D. (2005). Influence of water and nitrogen deficit on fruit ripening and aroma potential of *Vitis vinifera* L cv Sauvignon blanc in field conditions. *Journal of the Science of Food and Agriculture*, 85, 73-85.
- [14] Benito, S. (2018). The impacts of *Lachancea thermotolerans* yeast strains on winemaking. *Applied Microbiology and Biotechnology*, 102(16), 6775-6790. <https://doi.org/10.1007/s00253-018-9117-z>
- [15] Sánchez-Suárez, F., Martínez-García, R., & Peinado, R. A. (2025). Climate change adaptation in winemaking: Combined use of non-*Saccharomyces* yeasts to improve the quality of Pedro Ximénez wines. *Microorganisms*, 13(8), 1908.
- [16] Denning, L. (2025). Rising above climate change: Alto Adige's high-altitude advantage. Grape Collective. <https://www.grapecollective.com>
- [17] Marsh, S. (2023). Tokaj: Drying up or drying out? *World of Fine Wine*, 82, 88-95.
- [18] Fabó, K.-J., Nordmark, L., Ternell, A., & Némethy, S. (2025). Emerging sustainable practices in cool climate viticulture: A case study from Sweden. *Ecocycles*, 11(3), 15-30. <https://doi.org/10.19040/ecocycles.v11i3.524>
- [19] Droulia, F., & Charalampopoulos, I. (2021). Future climate change impacts on European viticulture: A review on recent scientific advances. *Atmosphere*, 12(4), 495. <https://doi.org/10.3390/atmos12040495>
- [20] Santesteban, L. G., Rekarte, I., Torres, N., Galar, M., Villa-Llop, A., Visconti, F., Intrigliolo, D. S., Escalona, J. M., Uriarte, D., Pons, S., Mancha, L., Medrano, H., Perez-Alvarez, E. P., Bota, J., & Miranda, C. (2023). The role of rootstocks for grape growing adaptation to climate change. *OENO One*, 57(2), 7439.
- [21] Reta, K., Netzer, Y., Lazarovitch, N., & Fait, A. (2025). Canopy management practices in warm environment vineyards. *Scientia Horticulturae*, 341, 113998.

- [22] Alba, V., Gentilese, G., Tarricone, L., & Masi, G. (2024). Climate change and viticulture in Italy: Historical trends and future scenarios. *Atmosphere*, 15(8), 885. <https://doi.org/10.3390/atmos15080885>
- [23] Robinson, J., Harding, J., & Vouillamoz, J. (2015). Climate change. In *Wine Grapes: A Complete Guide to 1,368 Vine Varieties*. Penguin Books.
- [24] Salinari, F., Giosue, S., Tubiello, F. N., Rettori, A., Rossi, V., Spanna, F., Rosenzweig, C., & Gullino, M. L. (2006). Downy mildew (*Plasmopara viticola*) epidemics on grapevine under climate change. *Global Change Biology*, 12(7), 1299-1307.
- [25] Santos, J. A., Fraga, H., Malheiro, A. C., Moutinho-Pereira, J., Dinis, L. T., Correia, C., Moriondo, M., Leolini, L., Dibari, C., Costafreda-Aumedes, S., Kartschall, T., Menz, C., Molitor, D., Junk, J., Beyer, M., & Schultz, H. R. (2021a). Long-term adaptation of European viticulture to climate change. *IVES Technical Reviews Vine and Wine*.
- [26] Arrizabalaga-Arriazu, M., Morales, F., Irigoyen, J. J., Hilbert, G., & Pascual, I. (2024). Growth performance and carbon partitioning of grapevine Tempranillo clones under elevated CO<sub>2</sub> and temperature. *Physiologia Plantarum*, 162(3), 425-440.
- [27] Pedneault, K., & Provost, C. (2016). Fungus resistant grape varieties as a suitable alternative for organic wine production. *Scientia Horticulturae*, 208, 57-77.
- [28] Villanueva-Rey, P., Vázquez-Rowe, I., Moreira, M. T., & Feijoo, G. (2014). Comparative life cycle assessment in the wine sector. *Journal of Cleaner Production*, 65, 330-341.
- [29] Steenwerth, K., & Belina, K. M. (2008). Cover crops enhance soil organic matter, carbon dynamics and microbiological function in a vineyard agroecosystem. *Applied Soil Ecology*, 40(2), 359-369.
- [30] Van Leeuwen, C., & Darriet, P. (2016). The impact of climate change on viticulture and wine quality. *Journal of Wine Economics*, 11(1), 150-167.
- [31] Jones, G. V., & Schultz, H. R. (2016). Climate change and emerging cool climate wine regions. *Wine & Viticulture Journal*, 31(3), 51-53.
- [32] Gilbert, J. A., van der Lelie, D., & Zarraonaindia, I. (2014). Microbial terroir for wine grapes. *Proceedings of the National Academy of Sciences*, 111(1), 5-6.
- [33] European Commission. (2021). How winemakers are adapting to a warmer world. <https://cinea.ec.europa.eu>

[34] Santos, J. A., Fraga, H., Malheiro, A. C., Moutinho-Pereira, J., Dinis, L. T., Correia, C., Moriondo, M., Leolini, L., Dibari, C., Costafreda-Aumedes, S., Kartschall, T., Menz, C., Molitor, D., Junk, J., Beyer, M., & Schultz, H. R. (2021b). Short-term adaptation of European viticulture to climate change. IVES Technical Reviews Vine and Wine.